
"crying solitary in lonely places"



(diphenylhydantoin, Parke-Davis)

permits a richer life for the epileptic

"It has been more than twenty years since the introduction of diphenylhydantoin sodium (DILANTIN Sodium) as an anticonvulsant substance. This drug marks a milestone in the rational approach to the management of the epileptic."1 In grand mal and psychomotor seizures, DILANTIN is a drug of choice for a variety of reasons: · effective control of seizures1-9 · oversedation is not a common problem2 · possesses a wide margin of safety³ · low incidence of side effects³ · its use is often accompanied by improved memory, intellectual performance, and emotional stability.10 DILANTIN (diphenylhydantoin, Parke-Davis) is available in several forms, including DILANTIN Sodium Kapseals,® 0.03 Gm. and 0.1 Gm., bottles of 100 and 1,000. Other members of the PARKE-DAVIS FAMILY OF ANTICONVULSANTS for grand mal and psychomotor seizures: PHELANTIN® Kapseals (Dilantin 100 mg., phenobarbital 30 mg., desoxyephedrine hydrochloride 2.5 mg.), bottles of 100. for the petit mal triad; MILONTIN® Kapseals (phensuximide, Parke-Davis) 0.5 Gm., bottles of 100 and 1,000; Suspension, 250 mg. per 4 cc., 16-ounce bottles. CELONTIN® Kapseals (methsuximide, Parke-Davis) 0.3 Gm., bottles of 100. ZARONTIN® Capsules (ethosuximide, Parke-Davis) 0.25 Gm., bottles of 100.

This advertisement is not intended to provide complete information for use. Please refer to the package enclosure, medical brochure, or write for detailed information on indications, dosage, and precautions.

REFERENCES: (1) Roseman, E.: Neurology 11:912, 1961. (2) Bray, P. F.: Pediatrics 23:151, 1959. (3) Chao, D. H.; Druckman, R., & Kellaway, P.: Convulsive Disorders of Children, Philadelphia, W. B. Saunders Company, 1958, S. Saunaers Company, 1988, p. 120. (4) Crawley, J. W.: M. Clin. North America 42:317, 1958. (5) Livingston, S.: The Diagnosis and Treatment of Convulsive Disorders in Children, Springfield, Ill., Charles C Thomas, 1954, p. 190. (6) Ibid.: Postgrad. Med. 20:584, 1956. (7) Merritt, H. H.: Brit. M. J. 1:666, 1958. (8) Carter, C. H.: Arch. Neurol. & Psychiat. 79:136, 1958. (9) Thomas, M. H., in Green, J. R., & Steelman, H. F.: Epileptic Seizures, Baltimore, The Williams & Wilkins Company, 1956, pp. 37-48. (10) Goodman, L. S., & Gilman, A.: The Pharmacological Basis of Therapeutics, ed. 2, New York, The PARKE-DAVIS Macmillan Company, 1955, p. 187.

92462 PARKE, DAVIS & COMPANY, Detroit 32, Michiga







Members New York Stock Exchange • Pacific Coast Stock Exchange 45 Montgomery St., San Francisco • 632 So. Spring St., Los Angeles

Beverly Hills Berkeley Encino Eureka Fresno Glendale Laguna Beach Long Beach Modesto Monterey Oakland Palo Alto Sacramento San Bernardino San Diego San Jose San Marino San Mateo Santa Ana Santa Barbara Stockton Santa Monica Ventura Santa Rosa Visalia

Schering



relieve U.R.I. distress rapidly

- relieve sneezing, runny nose
 - ease aches and pains
 - lift depressed feelings
 - reduce fever, chills

For complete details, consult latest Schering literature available from your Schering Representative or Medical Services Department, Schering Corporation, Bloomfield, N. J. RCORIFORTE®
(Brand of Analysis Antihistaminic-Antipyret): Companie)

capsules

Each CORIFORTE Capsule contains:


CHLOR-TRIMETON® 4 mg.


thiorphonicamine malente)

skenacetia . . . 0.13 Gm.

e agarecaleriae 1/25 (

available on prescription only





unsurpassed for total patient benefits

Aristocort Triamcinolone Lederle



With ARISTOCORT, asthmatic patients obtain sustained relief of wheezing, dyspnea, and spasmodic coughing. It is of particular value in ameliorating severe attacks that may have serious sequelae. With ARISTOCORT, many patients who might otherwise be invalids are able to continue their customary livelihoods or maintain their regular household activities. Yet this symptomatic relief is not often accompanied by the hormonal collateral effects -sodium retention, edema. emotional disturbance, insomnia, voracious appetite that so often have been a deterrent to steroid therapy.

SUPPLIED: Scored tablets (three strengths), syrup and parenteral. Request complete information on indications, dosage, precautions and contraindications from your Lederle representative, or write to Medical Advisory Department.

Lederle

LEDERLE LABORATORIES A Division of American Cyanamid Company Pearl River, New York

Orinase Case History







Orinase dosage 1 Gr.= ⊘ ⊗



Mrs. C. S., a youthful 50-yearold, is a busy clubwoman and civic leader. Her mother was a diabetic, and so is her daughter. In November 1956, she was transferred to Orinase after 16 years on insulin. Following a period of adjustment, her Orinase dosage was stabilized at 2 Gm. daily. Mrs. S. has no need for increased Orinase in the course of her extensive social activities. For instance, she can and often does arrange for impromptu entertainment at her home without requiring additional dosage.

The patient is frequently obliged to travel in connection with her social, philanthropic, and civic responsibilities. She needs no increase in Orinase on these occasions, and finds her trips enjoyable now that she is free of the fears and difficulties that accompanied insulin injections.







Mrs. S. did, however, need more Orinase when pyorrhea and other dental problems necessitated oral surgery, beginning late in 1959. During the five-month course of dental treatment, the patient's Orinase requirement was 3 Gm. daily. Thereafter, she was well maintained on 2 Gm.

When her daughter went to live abroad in 1961, the stress of the parting had an adverse effect, and Orinase had to be increased to 3 Gm. for 2 months. Mrs. S. then resumed her routine dosage.

Apart from temporary, stress-induced changes, Mrs. S. gets along very satisfactorily on 2 Gm. daily. With Orinase control, she has been leading an active and gregarious life for 51/2 years.


Among oral agents for the treatment of diabetes, Orinase* (tolbutamide) stands in a unique position. It alone has had five years or more of day-to-day routine clinical use in the hands of thousands of physicians throughout the country. Accordingly, there are by now a considerable number of truly long-term Orinase-treated patients. This series of Orinase five-year case histories has been prepared to illustrate and exemplify some aspects of actual experience in


management. Patient data made available to us by physicians have been factually incorporated; however, patients' identities have been concealed. Any inquiries regarding this case history series should be addressed to: Medical Department, The Upjohn Company, Kalamazoo, Michigan.


Orinase is supplied in bottles of 50 and 200 tablets.

Each tablet contains: Tolbutamide ... 0.5 Gm.

Reminder advertisement. Please see package insert for detailed product information.








Photographs courtesy of R. H. Grekin, M.D.

Nummular eczema



Nummular eczema on the left hand of a 20-year-old female. Therapy with 0.25% Neo-Medrol Acetate, Veriderm produced this result in only 5 days.



5 days later



The topical steroid with the "bonus" base

Neo-Medrol Acetate, Veriderm and Medrol Acetate, Veriderm provide prompt, highly-efficient control of dermatoses. Because the Veriderm base duplicates the oils found in normal human skin, there is optimal dispersion of the anti-inflammatory Medrol content, and the antibiotic, neomycin.

Less greasy than ointment, less drying than lotion, Neo-Medrol Acetate, Veriderm and Medrol Acetate, Veriderm spread evenly and merge well with the tissues.

Medrol Acetate, Veriderm is indicated in atopic, contact, or seborrheic dermatitis, and in neurodermatitis, anogenital and allergic pruritus. Neo-Medrol Acetate, Veriderm is indicated when dermatoses are complicated by infection. Prompt control of excessive tissue reaction to allergens, irritants, and trauma may be anticipated following the topical use of Medrol.

Neo-Medrol Veriderm

The Upjohn Company, Kalamazoe, Michigan Upjohn

*TRADEMARK, REG. U. S. PAT. OFF. ** TRADEMARK COPYRIGHT 1962, THE UPJOHN COMPANY

AN AMES CLINIQUICK'

CLINICAL BRIEFS FOR MODERN PRACTICE

TEST URINE ROUTINELY FOR PROTEIN

?

In a recent series of 278 diabetic patients, 34.2 per cent (95) had proteinuria. Of this group, almost 3 out of 5 had previously unrecognized renal disease, usually asymptomatic and untreated. Proteinuria may give valuable warning not only of infectious and other renal disorders, but also of degenerative diabetic nephropathy.²

With URISTIX Reagent Strips, testing for proteinuria and glucosuria may be conveniently done at the same time. URISTIX is "... reliable for routine clinical use." It will not give false-positive protein reactions with oral hypoglycemic agent metabolites. URISTIX is simple for patients to use at home and is timesaving for technicians.

Rejerences: (1) Moss, J. M.; Schreiner, G. B., and Sweeney, V.: M. Times 89:12 (Jan.) 1961. (2) El Mahallawy, M., and Sabour, M. S.: J.A.M.A. 173:1783 (Aug. 26) 1966.

for broader day-to-day protection of the diabetic patient








1 dip ... 10 seconds ... 2 readings

available: Unistix Reagent Strips, bottles of 125

urine protein e glucose

20062



in skeletal muscle spasm ... relief begins with just two tablets a day

NORFLEX® BY RIKER

Brand of orphenadrine citrate*

Prescribe Norflex . . . 1 tablet b.i.d.

Norflex restores mobility quickly—usually within 2 days. Relieves associated pain by the prompt relaxation of the muscle in spasm.

Norflex also provides mood elevation.

Norflex tablets: Each tablet contains 100 mg.

orphenadrine citrate.

In acute, disabling muscle spasm use Norflex injectable. (2cc.).

Norflex injectable: For intramuscular or intravenous use.

Each 2cc. ampul contains 60 mg. orphenadrine citrate in aqueous isotonic solution.


Caution: Federal law prohibits dispensing without prescription.

Physician's brochure accompanies each package and is available upon request.



RIKER LABORATORIES, INC. Northridge, California

*U.S. Pat. Nos. 2,567,351; 2,991,225



Whatever the cause--diuresis, corticosteroid therapy, gastro-intestinal losses...




1 tbsp. b. i. d. (30cc) affords 40 mEq. of K+

for therapeutic potassium replacement

Selixit (Potassium Gluconate, W-T)

- **»** Leaves nothing to dietary chance.
- » Avoids G-I irritation.
- » Affords fast uptake with safety.
- » Avoids uncertain absorption.
- » Invites patient use--delicious taste.





THE WARREN-TEED PRODUCTS COMPANY

COLUMBUS 15. OHIO

Chattanooga

Dallas

Los Angeles

Portland

Vital facts you should know about fluoride use

THERAPY WITH FIXED COMBINATIONS IS NOT RECOMMENDED

Authorities generally agree that fluoride for systemic use should not be in fixed combinations with other therapeutic agents, such as vitamins. And there is sound logic for prescribing fluoride as a single entity. When fluoride is combined with vitamins, any adjustment of the fluoride dosage may lead to over- or underdosage of vitamins. Fluoride administration requires the complete flexibility of dosage only single-agent therapy provides.

FLEXIBILITY IS ESSENTIAL

This is particularly true where the water which the patient is drinking may already contain some fluoride. In addition, you must consider the age of the child patient before determining the exact dosage schedule required. And here the use of Karidium gives you the flexibility you need for precise, accurate fluoride therapy, adjusted to the wide range of the fluoride content of various local water supplies.

ONLY KARIDIUM INCREASES CARIES RESISTANCE WITH UNUSUAL SAFETY Karidium has been successfully used for years in the preventive dental field. It dissolves rapidly and disperses readily in all liquids. Karidium Tablets' unique, patented formula* provides sodium chloride as a built-in emetic safety factor to induce vomiting in case of accidental overdosage. When you prescribe Karidium, you can be confident of its safety control and effectiveness.

1. J.A.D.A. 62:466 (April) 1961. 2. J.A.M.A. 180:94 (April 7) 1962.

specify KARIDIUM...the only single-entity fluoride tablet with inherent safety control

KARIDIUM

available in two dosage forms for easy administration to children of all ages




KARIDIUM Tablets—Each tablet contains: 2.21 mg. sodium fluoride; 94.49 mg. sodium chloride; 0.50 mg. disintegrant. (Each tablet yields 1 mg. fluoride ion.) Supplied in bottles of 180 and 1,000.

KARIDIUM Liquid—Each eight drops (0.5cc.) contain: 2.21 mg. sodium fluoride; 10.0 mg. sodium chloride; Q.S. distilled water. (Each eight drops yield 1 mg. fluoride ion.)

Supplied in 2 oz. unbreakable, spillproof polyethylene bottles with built-in dropper.

THE LORVIC CORPORATION • St. Louis 12, Missouri *U.S. Pat. No. 2967131; Canadian Pat. No. 542305



get the PRACTICAL HELP of your G-E man...

He's with you all the way: your "right arm" in developing an x-ray installation that's best for you all-around. Stage by stage, your G-E man checks your x-ray needs . . . prepares recommendations and layouts . . . assures you of competent, knowledgeable counsel!

No fear you'll be left on your own with new equipment. Your G-E man follows-up... checking it for proper performance; acquainting you and your technician with its advantages; refining technic charts to your needs, to insure consistently high-grade radiographs.

Then, periodically he calls back to see that

equipment is providing peak performance; checks darkroom procedures, and x-ray supplies. Most important, he determines that you're completely satisfied! A wealth of personal experience backs him all the way, as well as every resource of General Electric X-Ray. Phone for his help any time. Or just write to have your G-E man stop in soon for an obligation-free survey of your needs.

• MAXISERVICE® X-ray Rental makes it easy to have new x-ray equipment without capital investment! Let us show you how it offers equipment of your choice on a "payas-you-go" basis, for a modest monthly fee.

Progress Is Our Most Important Product



DIRECT FACTORY BRANCHES

LOS ANGELES
1225 N. Vermont Ave. • P.O. Box 29157

SAN DIEGO

521 Grape St. • BElmont 2-8139

SAN FRANCISCO

1269 Howard St. • UNderhill 3-3060

RESIDENT REPRESENTATIVES

FRESNO J. P. LUCAS 5642 N. Arthur • BA 9-6864

SACRAMENTO . . . R. V. LORD 2511 Edison Avenue • IV 3-7781 SACRAMENTO . . J. D. MARTIN 2600 Wright St. • IVanhoe 7-4477

SANTA BARBARA . E. S. TROWSDALE 462 Conejo Rd. • WOodland 2-1979

SANTA ROSA J. E. PIXTON P.O. Box 342 • Liberty 5-3673



in your weight-reduction

programs: when you prescribe a single morning dose...


(Ambar Extentabs are small, easy to take)



she'll stick to her diet more willingly (Extentab suppresses appetite for up to 12 hours)



she'll feel better all day long (balanced formula improves mood <u>without</u> "jitters")



she'll be more apt to keep weight down
(Ambar helps establish conservative eating habits)

Ambar#I Extentabs* Ambar#2 Extentabs* Ambar#2 Extentabs* methamphetamine hydrochloride 15 mg., phenobarbital 64.8 mg. (1 gr.)



scratching helps...



but Calmitol stops itching fast!

For every kind of pruritus—for adults or children—safe, fast-acting CALMITOL Ointment soothes itching on contact, helps prevent secondary trauma caused by scratching. And low-cost, conservative CALMITOL is non-

sensitizing. Calmitol Ointment is available at all pharmacies in $1\frac{1}{2}$ oz. tubes and 1 lb. jars. For more stubborn pruritus, Calmitol Liquid in bottles of two fluidounces. Thos. Leeming & Co., Inc., New York 17

CALMITOL®

for anything that itches



for more efficient family planning...



why an aerosol foam?

BECAUSE OF ITS AESTHETIC ADVAN-TAGES: no excessive lubrication or postcoital drainage | no douching necessary | no loss of sensory contact | no greasiness or irritation

BECAUSE OF ITS EASE OF USE: administered in seconds | immediately effective . . . for up to three hours | use only when needed

BECAUSE OF ITS SAFETY AND EFFECTIVENESS: non-hormonal | non-systemic | proven safe and effective in laboratory, clinical, and field tests¹⁻⁴

BECAUSE OF ITS ECONOMY: costs as little as 6¢ per application—at least 50% less expensive than other methods of birth control

"The effective method is the one that the couple will use with greatest consistency"⁵... and at time of need.

References: ¹Martin, J. B.; Tolerance to Repeated Application of a Foam Contraceptive in the Human Vagina. Clinical Medicine. 69 (September) 1962; 'Paniagua, M. E., Piedras, R., Vaillant, H. W., and Gamble, C. J.: Field Trial of a Contraceptive Foam in Puerto Rico. J.A.M.A. 177: 125-129 (July 15) 1961; 'Sobrero, A. J.: Evaluation of a New Contraceptive. Fertility & Sterility. 11: 518-524 (Sept. Oct.) 1960; "Cox, W. B.: (Personal Communications) (June 9) 1961; 'Planned Parenthood Federation of America: Methods of Contraception in the United States, 1961.

	M. D.
DDRESS	
	DDRESS

emko

THE EMKO COMPANY • 7912 MANCHESTER AVENUE • ST. LOUIS 17, MISSOURI

:M-11

BIRTCHER-WORLD LEADER IN

ULTRASONICS

PRESENTS THE ALL NEW

MEGASON XII

ENGINEERED • ECONOMICALLY PRICED • Ultrasonic therapy is now so generally recognized that nearly half of all U.S. physicians employ this modality. Since first bringing ultrasonic therapy to this country in 1946, Birtcher has manufactured more ultrasonic units than any other company in the world. The culmination of these 16 years of clinical and engineering experience is the all new MEGASON XII ultrasonic unit. It is lightweight... because physicians asked for a portable unit. It is compact... because space is at a premium in physicians' crowded offices. It is superbly engineered... to provide the utmost that a fine electronic instrument can offer in accuracy and dependability. It features Birtcher's exclusive 5-position transducer that instantly adjusts to the most comfortable and effective angle for treatment. It is guaranteed for two full years.

WANT MORE INFORMATION?

You can lease the finest ultrasonic unit made, or purchase it at a remarkably low cost. Write now for descriptives, the MEDICAL ULTRASONICS IN A NUTSHELL booklet, or a no-obligation demonstration in your office.


B THE BIRTCHER CORPORATION

Medical Electronics for CARDIOLOGY • ELECTROSURGERY • PHYSICAL MEDICINE 4371 Valley Blvd., Los Angeles 32, California

Dept. CM 1162




The Megason XII fits compactly on a small shelf.



The Megason XII shown on a table.



Only the Birtcher Megason XII offers a 5-position transducer.



The outstanding effectiveness and record of safety with which Miltown relieves anxiety and anxious depression—the type of depression in which either tension or nervousness or insomnia is a prominent symptom – has been clinically authenticated time and again during the past seven years. This, undoubtedly, is one reason why physicians still prescribe meprobamate more often than any other tranquilizer in the world.

Miltow


Usual dosage: One or two 400 mg. tablets t.i.d. Supplied: 400 mg. scored tablets, 200 mg. sugar-coated tablets; bottles of 50. Also as MEPROTABS® — 400 mg. unmarked, coated tablets; and in sustained-release capsules as MEPROSPAN®-400 and MEPROSPAN®-200 (containing respectively 400 mg. and 200 mg. meprobamate).





WALLACE LABORATORIES / Cranbury, N. J.

Clinically proven in over 750 published studies


- Acts dependably without causing ataxia or altering sexual function
- Does not produce Parkinson-like symptoms or liver damage
- Does not muddle the mind or impair physical activity







Of 6,725 staphylococcal isolates tested TAO showed a clear superiority; of 2,488 streptococcal and 463 pneumococcal isolates tested results were about equal. Of 196 H. influenzae isolates tested TAO was less effective.



TRYEY OF ANTIBIOTICS

probations const. Attenuoticeus, priorum accordis and H.

Learner for priorum very the argument
and the state underly used antibuceus. All the ar
Learner for the state of the state of the state
and the state of the state of the state
and the state of the state of the state
and the state of the state of the state
and the state of the state of the state
and the state of the state of the state
and the state of the state of the state
and the state of the state of the state
and the state of the state of the state
and the state of the state of the state
and the state of the state of the state of the state
and the state of the state of the state of the state
and the state of the state of the state of the state
and the state of the state of the state of the state
and the state of the state of

serive against common pathogonic bacteria. See sine live years of general use crackly significantly active against content pon pathogons. For specific information on the many TAO dosage forms, its uses in acute pediatric, skin and soft tissue, and respiratory infections, turn the page.

L "Bacterial Susceptibility Patterne: A Geographic Survey:" Fowler, J. Raiph, M.D., and Watters, John L., M.D. Scientific Exhibit presented at the Annual Meeting of the American Society of Clinical Pathologists, Chicago, III., August 31 to September 8, 1962.





You can expect TAO to produce a rapid, decisive response in acute common infections caused by most Gram-positive and some Gram-negative bacteria, including those resistant to many other antibiotics:

Acute respiratory infections: otitis media, sinusitis, tonsillitis, pharyngitis, bronchitis, lobar and bronchopneumonia, lung abcess, bronchiectasis.

Acute skin and soft tissue infections: furuncles, carbuncles, impetigo contagiosa, ecthyma, eczema, infected cysts, abscesses, infected contact dermatitis, cellulitis, infected traumatic or surgical ulcers and wounds.

Acute pediatric infections: particularly streptococcal.

Other acute genitourinary, gastrointestinal and miscellaneous infections: pyelonephritis, pyelitis, ureteritis, cyslitis, ureteritis, ureteritis titis, urethritis (including gonococcal urethritis), acute salpingitis, endometritis, bartholinitis, staphylococcal enterocolitis, osteomyelitis, septic arthritis.

> a TAO form for use . . . in patients of all ages ... in home, office or hospital


TAO capsules (250 mg.; 125 mg.)


TAO Ready-Mixed Oral Suspension (raspberry-flavored) (125 mg./5 cc.)

TAO Pediatric Drops (100 mg./cc.)

Parenteral (as oleandomycin phosphate)

For complete prescription information, including dosage, indications and precautions, consult product brochure






Flavor you never thought you'd get from any filter cigarette!

If you're hungry for flavor, Tareyton's got plenty—and it's plenty good! Quality tobaccos at their peak go into Tareyton. Then the famous Dual Filter brings out the best taste of these choice tobaccos. Try a pack of Dual Filter Tareytons—you'll see!


Dual Filter makes the difference



Product of The American Subacco-Company - DUAL FILTER TAYEY TON



Tomorrow: Surgery




Tonight: Doriden

for a good night's sleep without barbiturates. Surgical patients pretreated with Doriden are well sedated, relaxed. Even the elderly, the chronically ill, and patients with liver and kidney disorders respond smoothly to Doriden and tolerate it well. Doriden rarely, if ever, causes respiratory depression. Logan* reports: "A particular advantage of this non-barbiturate, non-opiate routine is that there is no danger of giving two barbiturates together, and hence, there is less risk of respiratory depression."

Supplied: Tablets, 0.5 Gm. (white, scored), 0.25 Gm. (white, scored) and 0.125 Gm. (white). Capsules, 0.5 Gm. (blue and white). For complete information about Doriden (including dosage, cautions, and side effects), see current Physicians' Desk Reference or write CIBA. *Logan, K. M.: Clin. Doriden® Med. 4:1221 (Oct.) 1957. 2/3028MB (glutethimide CIBA)

CIBA



in acute nausea and vomiting...

Ménière's Syndrome: With vertigo, nausea and vomiting often present during a severe attack, a Dramamine Supposicone® will swiftly control the symptoms. Once the acute stage has subsided, the patient may be maintained on either Dramamine Liquid or Tablets.



Dramatic results with

the classic antinauseant

AMPULS (FOR I.M. OR I.V. USE)/SUPPOSICONES&/LIQUID/TABLETS

Research in the Service of Medicine

SEARLE



Because you are aware of the AMA statement on fat in the diet...

"Increasing the ratio of poly-unsaturated fat to saturated fat in the diet is the preferred method for treating the 'usual' hypercholesteremia." From the Aug. 4, 1962 issue of The Journal of the American Medical Association.

Of all leading salad and cooking oils Safflower Oil has the highest ratio of polyunsaturated fat to saturated fat. Safflower Oil is higher in recommended poly-unsaturates—lower in saturated fat than any other readily available oil or shortening.

When an adjustment in dietary ratio of saturated fat is indicated, Saff-o-life




you should be aware of this new, poly-unsaturated oil for cooking

Safflower Oil makes the substitution easy, appetizing, inexpensive.

Physicians who wish recipes using Saff-o-life Safflower Oil are invited to write directly to: Professional Services Director, General Mills, Inc., Department 120, 9200 Wayzata Blvd., Minneapolis 26, Minnesota. RATIO OF LINOLEATES* TO SATURATES *poly-unsaturated fats

9.0 to 1.0
5.3 to 1.0
3.5 to 1.0
2.0 to 1.0
1.6 to 1.0

A product of General Mills—Your assurance of quality and purity.



Diagnosis: Rheumatoid arthritis

Complication: Pocketbook syndrome

New therapy: HEXADROL

The corticosteroid unexcelled in clinical benefits with cost-to-patient greatly reduced

When you prescribe HEXADROL you give your patients all the clinical advantages of the newer, most effective and best-tolerated corticosteroids. At the same time, you provide relief of the Pocketbook Syndrome, a most common complication of therapy with a steroid of choice. This new and unique benefit of important savings to your patients results from Organon leadership in research, development, and new, more efficient manufacturing processes.

Clinical background? This steroid has a recorded history unequaled in scope and authoritativeness among all the newer corticoids. Quality? HEXADROL, brand of dexamethasone 'Organon'...your assurance of professional quality through research, production and control. Dosage flexibility? Tablets 0.75 mg. and new strength 0.5 mg., plus new form, Elixir (0.5 mg. per 5 ml.) now available to meet prescription needs.

Cost-to-patient? Greatly reduced! Why not check with your local pharmacist on prescription cost to your patients?



very likely to succeed...

THE FRUSTRATED HARD-DRIVING MAN. While the ulcer patient may be aggressive and ambitious on the surface, psychologists agree that his subconscious desire for dependence creates great conflict.* Such patients need relief from anxiety as well as from physical symptoms. ENARAX provides both. Its anticholinergic, oxyphencyclimine, gives uninterrupted relief of pain, spasm, and hyperacidity through prolonged action that is chemically "built in." Atarax (hydroxyzine HCl) calms without increasing gastric acid secretion. Combined in ENARAX, they successfully control symptoms of peptic ulcer, functional bowel syndrome and many other G.I. disorders. We think you'll find ENARAX most likely to succeed with your G.I. patients. For complete prescription information, consult product brochure. dosage: The usual dosage is one ENARAX 5 or ENARAX 10 tablet twice daily—preferably in the morning and before retiring. Maintenance dose should be adjusted according to therapeutic response. Use with caution in patients with prostatic hypertrophy and only with ophthalmological supervision in glaucoma. supplied: ENARAX 5 (oxyphencyclimine HCl 5 mg., Atarax 25 mg.) and ENARAX 10 (oxyphencyclimine HCl 10 mg., Atarax 25 mg.), bottles of 60.

*Alexander, F.: Psychosomatic Medicine, New York, W. W. Norton, 1950, p. 101.
*New York 17, N.Y., Division, Chas. Pfizer & Co., Inc., Science for the World's Well-Being®



CIPPA SINGS SESPECIALLY NEWER ELSIONS

WRIGHT'S

LIQUOR

PROVED A standard with dermatologists for 20 years

EFFECTIVE Successful without ultraviolet therapy

pharmacologically and cosmetically superior solution of active principles of coal tar in alcohol. Supplied 3 oz. bottles with applicator; 8 oz. and 16 oz. bottles. Apply directly to lesions once or twice daily.

CARBONIS DETERGENS

CONVENIENT Economical

...easy to use...nonirritating...nonstaining

FOUGERA

E. Fougera & Company, Inc., Hicksville, Long Island, N. Y.

Proven Therapy for Psoriasis, Eczemas, and Many Dermatoses



Welcome to another year of Lederle Symposia

Recognizing that the exchange of ideas is fundamental to medical progress, Lederle continues its Symposium program with the 11th year of scheduled meetings. Through these Symposia, sponsored by medical organizations with our cooperation, over 55,000 physicians have had the opportunity to hear and question authorities on important advances in clinical medicine and surgery. You have a standing invitation to attend any of these Symposia with your wife for whom a special program is planned.

SANTA BARBARA, CALIFORNIA Saturday, November 3, 1962 Santa Barbara Biltmore Hotel

INDIANAPOLIS, INDIANA Wednesday, November 7, 1962 The Marott Hotel

ANAHEIM, CALIFORNIA Sunday, November 11, 1962 The Disneyland Hotel

KNOXVILLE, TENNESSEE Thursday, November 15, 1962 Hotel Andrew Johnson

PHOENIX, ARIZONA November 18, 1962 Westward Ho Hotel

NEW CITY, NEW YORK Wednesday, November 28, 1962 Dellwood Country Club LOS ANGELES, CALIFORNIA November 29, 1962 Ambassador Hotel

GRAND RAPIDS, MICHIGAN Saturday, December 1, 1962 Pantlind Hotel

NORFOLK, VIRGINIA December 6, 1962 Golden Triangle Motor Hotel

DENVER, COLORADO Sunday, January 13, 1963 The Cosmopolitan Hotel

FORT SMITH, ARKANSAS Tuesday, January 15, 1963 The Holiday Inn

PORTLAND, OREGON Thursday, January 31, 1963 The Sheraton-Portland Hotel ANCHORAGE, ALASKA Saturday, February 23, 1963

The Anchorage Westward Hotel
DETROIT, MICHIGAN
Wednesday, February 27, 1963
The Sheraton-Cadillac Hotel

WILMINGTON, DELAWARE Saturday, March 9, 1963 Delaware Academy of Medicine

HUNTSVILLE, ALABAMA Thursday, March 14, 1963 The Russel Erskine Hotel

FARGO, NORTH DAKOTA Saturday, March 16, 1963 The Frederick Martin Hotel (Moorhead, Minn.)

BELLINGHAM, WASHINGTON Saturday, March 23, 1963 The Hotel Leopold

Loderle

LEDERLE LABORATORIES, a Division of AMERICAN CYANAMID COMPANY, Pearl River, N.Y.



from boutonneuse fever in Africa

Whether treating boutonneuse fever, bronchopneumonia, or a host of other infections, physicians throughout the world continue to rely on the effectiveness, relative safety, and exceptional toleration of Terramycin in broad-spectrum antibiotic therapy. This continuing confidence is based upon thousands of published clinical reports and successful experience in millions of patients. The next infection you see will more than likely be "Terra-responsive."



to bronchopneumonia in California



also available with nystatin as TERRASTATIN® (capsules and oral suspension)

Trocinate® Brand of Thiphenamil HCl.

FOR DIVERTICULITIS, MUCUS COLITIS,

IRRITATIVE DIARRHEA, IRRITATIVE URETERITIS,

BLADDER SPASM

Trocinate is a musculotropic antispasmodic with no appreciable anticholinergic action. It relieves spasms of the lower bowel and genito-urinary tract by direct action on the contractile mechanism of smooth muscles. The absence of any appreciable action on the autonomic nervous system eliminates the usual side-effects. It may be safely used in glaucoma. Each tablet contains 100 mgs. Trocinate HCl.


Usual Dosage: 2 tablets, 4 times a day. Maintenance dosage is frequently lower.

Dispensed in bottles of 40 and 250 tablets.

.WM. P. POYTHRESS & COMPANY, INC., RICHMOND, VIRGINIA

Manufacturers of ethical pharmaceuticals since 1856





WITH YOUR **ENCOURAGEMENT**

AND

DEXEDRINE®

brand of dextro amphetamine

SPANSULE®

brand of sustained release capsules

she's losing weight

'Dexedrine' Spansule capsules not only control appetite all day long, but at the same time encourage normal activity. This is particularly important because overweight patients are often inactive. In such patients 'Dexedrine' overcomes lethargy, helps renew their interestin doing things—not just eating.

PRESCRIBING INFORMATION

INDICATIONS AND DOSAGE: For the following indications, the recommended daily dosage is one or two 'Dexedrine' Spansule capdosage is one or two Determine Spansus caps stries, usually taken in the morning; control of appetite in weight reduction; depressive states; alcoholism. In narcolepsy, the recommended daily dosage is up to 50 mg. of 'Dexedrine' by 'Spansule' capsule on arising.


SIDE EFFECTS: Insomnia, excitability and increased motor activity are infrequent and ordinarily mild. CAUTIONS: Should be used with caution in patients hypersensitive to sympathomimetic compounds; in cases of coronary or cardiovascular disease; and in the presence of severe hypertension.

CONTRAINDICATIONS: Hyperexcitability; agitated pre-psychotic states.

SUPPLIED: 5 mg., 10 mg. and 15 mg., in bottles of 30. (Each capsule contains dextro amphetamine sulfate, 5 mg., 10 mg., or 15 mg.) Prescribing information adopted January 1961.


Smith Kline & French Laboratories





Perhaps this should be cleared up once and for all. There are no lemons in Vi-Daylin. If you've ever tasted Vi-Daylin, this might surprise you. Certainly, it would surprise the youngsters. To most of them, Vi-Daylin is liquid lemon candy, and that's that. But if it's deception, it's sensible deception. You never have to badger the kids into taking their vitamins. Nice to know, too, that this matchless matching of candy essence and color elegance can be found in all the forms and formulas of Vi-Daylin.

VI-DAYLIN-Vitamins A, D, B₁, B₂, B₆, B₁₂, C, and Nicotinamide, Abbott; VIDAYLIN-M—Homogenized Mixture of Vitamins with Minerals, Abbott; VI-DAYLIN-T-High Potency Multivitamins, Abbott.



	7.5	dente de la laction de la constante de la cons
Vitamin A 0,9 mg. (30	00 units)	The Parket
Vitamin D10 mcg. (4		
Thiamine HCf (81)		
Riboflavin (Be)	_1.2 ms	114
Ascorbie Acid (C)		
	_10 mg	
Also supplies cyanocob	atamin (Bra) S	meg, and
evridoxine Hydrochlorid		209035

Abott Saloratories North Chicago, Illnows

My family enjoys your chewable intimans. It seems like we can not get emough of your vitimans. My sister enjoys your vitimans so much that she ask for more but cannot have no more. I like them because my mother does not have to worry about scolding us when taking it. Its good because you don't have no worries about something falling on the floor. If you kept on making these vitimans all the worlds children would be happy again. How I would like to know whether I may have any information on the Middle West. You see my class and I are studying it. So if the information can be given I thank you very much.

"...all the worlds children would be happy again."

(an unsolicited testimonial from an actual letter)





DIRECTORY

HOSPITALS • SANITABIUMS • REST HOMES

ALEXANDER SANITARIUM, Inc.

Address Correspondence: MEDICAL DIRECTOR, Alexander Sanitarium, Inc., Belmont, California

The Alexander Sanitarium is a neuropsychiatric open hospital for treatment of emotional states, geriatric cases and alcoholism. Treatments include hydrotherapy, electro and insulin shock-therapy, psychotherapy and occupational therapy. Conditional reflex treatment for alcoholism.

Occupational facilities consist of special occupational therapy room, tennis court, billiards, badminton court, table tennis and completely enclosed, heated, full-size swimming pool.

LOCATED IN THE FOOTHILLS OF BELMONT, CALIFORNIA LYtell 3-2143

J. M. CRUIKSHANK, M.D., D.P.H., F.A.C.S., Medical Director PSYCHIATRISTS: JOHN ALDEN, M.D., Chief of Staff; HENDRIE GARTSHORE, M.D., Asst. Chief of Staff; P. P. POLIAK, M.D., Asst. Chief of Staff; GEORGE KOLAWSKI, M.D.

A patient accepted for treatment may remain under the supervision of his own physician if he so desires



Woodside Acres Hospital

Exclusively for the treatment of

ACUTE AND CHRONIC

LCOHOLISM

MEMBER AMERICAN HOSPITAL ASSOCIATION

1600 Gordon Street

EMerson 8-4134

Redwood City, California

COMPTON FOUNDATION HOSPITAL

FORMERLY COMPTON SANITARIUM

820 West Compton Boulevard COMPTON, CALIFORNIA NE 6-1185 NE 1-1148

> G. CRESWELL BURNS, M.D. **Medical Director**

HELEN RISLOW BURNS, M.D. Assistant Medical Director

MEMBER OF

American Hospital Association and National Association of Private Psychiatric Hospitals

High Standards of Psychiatric Treatment Serving the Los Angeles Area



Fully Approved by Central Inspection Board of APA

Accredited by

Joint Commission on Accreditation of Hospitals

Twin Pines NEUROPSYCHIATRIC HOSPITAL

OPEN, VISITING AND CONSULTING STAFF

In-patient services for acute and chronic emotional illnesses.

> Electric shock Hydrotherapy

Insulin shock **Psychotherapy**

Occupational therapy

Out-patient services for selective cases

Attending Staff


A. T. VORIS, M.D., Medical Director DAVID S. WILDER, M.D. . ROBERT E. JAMES, M.D.

ALEXANDER H. MILNE, M.D. . ROBERT L. MEIERS, M.D.

BELMONT, CALIFORNIA ESTABLISHED 1925

LYtell 1-8951

Located 22 miles south of San Francisco. Accessible to transportation.



People aren't perfect—neither are machines. Both can slip up occasionally. Take an ampoule in a paper carton for example. How can we be absolutely sure that the ampoule is really inside?

Here's how: A machine folds the carton, inserts the ampoule, seals the carton, and then places it on the finishing line. Further down the

line, the detective waits—a jet of air sweeping across the finishing line just strong enough to blow an empty carton off the belt. Properly filled cartons proceed for further inspection and packaging. Perhaps a small point, but it is another in a long series of control measures designed to deliver quality pharmaceuticals every time.



UNIVERSITY OF SOUTHERN CALIFORNIA, LOS ANGELES

- Basic Home Course in Electrocardiography. One year postgraduate series, electrocardiogram interpretation by mail. Physicians may register at any time and receive all 52 issues. Fifty-two weeks. Fee: \$100.
- Advanced Home Course in Electrocardiography. One year postgraduate series, electrocardiogram interpretation by mail. Fifty-two issues: \$85. Physicians may register at any time.
- Symposium on Neoplastic Diseases (Homecoming).
 Thursday and Friday. November 1 and 2. Ambassador
 Hotel. Fee: \$25.
- Psychiatry in Medical Practice. Saturday and Sunday. November 17 and 18. Santa Barbara County General Hospital. Fee: \$25.
- Electrocardiographic Interpretation. Thursday through Saturday. December 6 through 8. Statler-Hilton Hotel, Los Angeles.*†

1963

- Psychiatry in Medical Practice. January 12 and 13. Two-day intensive workshop. San Bernardino County General Hospital. Fee: \$35.
- Pediatric Psychiatry for General Practitioners and Pediatricians. January 30 through April 10. Psychiatric Unit, Los Angeles County General Hospital. Fee: \$35.
- Psychiatry Case Conferences for Medical Practitioners. January 30 through April 10. Eleven sessions, to be held simultaneously at St. John's Hospital, Santa Monica; Orange County General Hospital, Orange; Memorial Hospital of Long Beach; Cedars of Lebanon Hospital. Fee: \$40.
- Contact: Phil R. Manning, M.D., Associate Dean and Director, Postgraduate Division, University of Southern California School of Medicine, 2025 Zonal Avenue, Los Angeles 33. CApital 5-1511.
- Psychiatry Courses. Contact: Allen J. Enelow, M.D., Associate Clinical Professor, Department of Psychiatry, 1934 Hospital Place, Los Angeles 33, CA 5-3131, Ext. 71951.

LOMA LINDA UNIVERSITY

- Clinical Traineeships available in clinical departments by arrangement with Postgraduate Division and Postgraduate Chairman of department involved. In addition to those listed, other traineeships in other departments can be arranged. Eighty hours minimum, Limited enrollment. Begin when individually arranged.
 - 1. Anesthesia. Six months. 250 to 300 hours. Fee: \$350.
- 2. Pulmonary Diseases (can be arranged).
- Continuously: Illustrated Medical Lectures. Thirty-minute tape recordings and accompanying 35 mm. filmstrips, 50 to 80 full-color pictures for screen, hand or desk viewer. Available individually or by subscription. Twelve or 36 titles per year, all titles produced in one year in any chosen specialty. Projectors and viewers included in subscription plans. Contact: Loma Linda University, Illustrated Medical Lectures, Los Angeles 33.
- For information contact W. F. Norwood, Ph.D., Assistant Dean and Chairman, Division of Continuing Education, Loma Linda University School of Medicine, 1720 Brooklyn Ave., Los Angeles 33. ANgelus 9-7241, Ext. 214.

PRESBYTERIAN MEDICAL CENTER

- Gastroenterology. Saturday, November 10. 7 hours. Fee: \$25.1
 - Pediatrics. Saturday, December 1. 7 hours. Fee: \$25.‡
 - Diabetes and Thyroid. Saturday, January 12, 1963. 7 hours. Fee: \$25.‡
 - Arteriosclerosis. Saturday, January 19, 1963. 7 hours. Fee: \$25.‡
 - Dermatology. Saturday, February 2, 1963. 7 hours. Fee: \$25.±
 - Operable Heart Disease. Friday and Saturday. March 1 and 2, 1963. 14 hours. Fee: \$25.
 - Keratoplasty. Wednesday through Friday. March 6 through 8.*† Contact: Secretary of the Eye Bank, Presbyterian Medical Center.
 - Office Diagnosis. Saturday, March 9, 1963. 7 hours. Fee: \$25.±
 - Cancer. Saturday and Sunday. March 16 and 17, 1963. 14 hours. Fee: \$25.
 - Fractures: "4-R's." Saturday, March 23, 1963. 7 hours. Fee: \$25.‡
 - Minor Surgery: Office and Hospital. Saturday, April 6, 1963. 7 hours. Fee: \$25.‡
 - Contact: Arthur Selzer, M.D., Chairman, Education Committee, Presbyterian Medical Center, Clay & Webster Streets, San Francisco 15. WEst 1-8000.

CALIFORNIA MEDICAL ASSOCIATION POSTGRADUATE CIRCUIT COURSES

- A Symposium on the New Views of Hypertension. By the faculty from the University of California Medical Center, San Francisco. Friday, January 18. Sister's Hospital, Santa Maria. *Chairman:* Clifford E. Case, M.D., P.O. Box 315, Santa Maria.
- A Symposium on the New Views on Hypertension. By the faculty from the University of California Medical Center, San Francisco, in cooperation with San Luis Obispo County Medical Society. General Hospital, San Luis Obispo. Saturday, January 19. Chairman: Henry A. Zevely, M.D., 878 Boysen Avenue, San Luis Obispo.
- California Medical Association Postgraduate Institutes—1963.
 - Southern Counties. In cooperation with Loma Linda University School of Medicine. Thursday and Friday. February 7 and 8. El Mirador Hotel, Palm Springs. Chairman: Andrew O. Fitzmorris, M.D., 1701 North Palm Canyon, Palm Springs.
 - West Coast Counties. In cooperation with UCLA School of Medicine. Thursday and Friday. March 7 and 8. Del Monte Lodge, Pebble Beach. Chairman: James D. Niebel, M.D., Suite 409, Professional Building, Monterey.
 - North Coast Counties. In cooperation with USC School of Medicine. Thursday and Friday. April 4 and 5. Hoberg's Resort, Lake County. Chairman: Richard C. Barnett, M.D., 450 Pitt Avenue, Sebastopol.
 - San Joaquin Valley Counties. In cooperation with Stanford University School of Medicine. Thursday and Friday. May 30 and 31. Ahwahnee Hotel, Yosemite. Chairman: Thomas J. Fuson, M.D., 2944 Fresno Street, Fresno.

[†]These courses will be offered at \$25 per course or 4 courses for \$80 or 8 courses for \$120.

Sacramento Valley Counties. In cooperation with University of California School of Medicine, San Francisco. Friday and Saturday. June 28 and 29. (Place to be announced.) Chairman: A. John Quinn, M.D., 2600 Capitol Avenue, Suite 312, Sacramento 16.

For information regarding Postgraduate Circuit Courses and Postgraduate Institutes, contact: Postgraduate Activities, California Medical Association, 693 Sutter Street, San Francisco 2. PRospect 6-9400, Ext. 68.

AUDIO-DIGEST FOUNDATION

AUDIO-DIGEST FOUNDATION, the California Medical Association's nonprofit subsidiary organized for the practicing physician's continuing postgraduate medical education, has released its 1962 Catalog of Classics. Representing tape-recorded highlights of the past year's most significant medical meetings (American Medical Association, American College of Physicians, American Society of Anesthesiologists, American College of Obstetricians and Gynecologists, and dozens of university postgraduate courses) the new Catalog lists 355 onehour tape-recordings representing all areas of medical practice. Copies of the catalog and information concerning continuing subscriptions to Audio-Digest programs (General Practice, Obstetrics-Gynecology, Anesthesiology, Pediatrics, Internal Medicine and Surgery and a prospective new service in Ophthalmology-Otorhinolaryngology) may be obtained by writing to Claron L. Oakley, Editor, 618 South Westlake Avenue, Los Angeles 57.

Medical Dates Bulletin

- AMERICAN RHINOLOGIC SOCIETY 8TH ANNUAL MEETING. Statler Hilton Hotel, Los Angeles. November 1 and 2. Contact: American Rhinologic Society, 530 Hawthorne Place, Chicago 13.
- TB & Health Association of Los Angeles County Symposium on the Techniques of Teaching Diseases of the Chest. November 3. Sheraton West Hotel, Regency and Wedgewood Rooms, Los Angeles. 8:30 a.m. to 3:30 p.m. Contact: Oscar J. Balchum, M.D., chairman, Planning Committee, c/o TB & Health Assoc. of Los Angeles County, 1670 Beverly Blvd., Los Angeles 26.
- AMERICAN ACADEMY OF OPHTHALMOLOGY AND OTOLARYN-COLOGY, Las Vegas Convention Center, Las Vegas. November 4 through 9. *Contact:* W. L. Benedict, M.D., executive secretary-treasurer, 15 Second Street, S.W., Rochester, Minn.
- Los Angeles Pediatric Society 19th Annual Brennemann Lectures, Ambassador Hotel, Los Angeles. Speakers: Albert B. Sabin, M.D., and Malcolm A. Holliday, M.D. November 7 and 8. Contact: Leslie M. Holve, M.D., vice-president, 1015 Gayley Avenue, Los Angeles 24.
- SAN DIEGO COUNTY GENERAL HOSPITAL 16th Annual Postgraduate Assembly, in conjunction with University of Oregon Medical School. November 9 and 10. Town and Country Hotel, San Diego. *Contact:* David E. Wile, M.D., chairman, 2850 6th Avenue, San Diego 3,
- American Otorhinologic Society for Plastic Surgery, Inc. November 9 through 13. Ambassador Hotel, Los Angeles. *Contact:* Joseph G. Gilbert, M.D., secretary, 75 Barberry Lane, Roslyn Heights, N. Y.

- California Conference of Local Health Officers Biannual Meeting. Riverside County Health-Finance Building. November 13-14. Contact: Wm. Allen Longshore, Jr., M.D., asst. chief, Division Community Health Services, State Dept. of Public Health, Berkeley.
- AMERICAN COLLEGE OF PHYSICIANS, Southern California Region Annual Basic Science Lectureship Dinner. Statler Hotel, Los Angeles, November 14, 6:30 p.m. Contact: George C. Griffith, M.D., A.C.P. Governor for Southern California, P. O. Box 25, 1200 North State Street, Los Angeles 33.
- SAN DIEGO CHAPTER OF CALIFORNIA ACADEMY OF GENERAL PRACTICE, 7th Annual Las Vegas Meeting. November 15 through 18. Flamingo Hotel, Las Vegas. 9:00 a.m. to 3:00 p.m. Contact: Edwin N. Reithmayer, M.D., 1115 W. Chase, El Cajon.
- Los Angeles Orthopedic Hospital and USC School of Medicine Symposium. "Hip Problems in Children." Orthopedic Hospital, Los Angeles. November 24, 8:30 a.m. to 4:30 p.m. Contact: J. Vernon Luck, M.D., and Robert Mazet, M.D., chairmen, Orthopedic Hospital, 2400 South Flower Street, Los Angeles 7.
- AMERICAN COLLEGE OF CHEST PHYSICIANS (Interim Session). November 24 and 25. Ambassador Hotel, Los Angeles. Contact: Mr. Murray Kornfeld, executive director, 112 E. Chestnut Street, Chicago 11.
- COORDINATORS OF CANCER TEACHING. November 24 and 25. Sheraton Huntington, Pasadena, Saturday, 8:00 p.m. Los Angeles General Hospital, Sunday, 9:15 a.m. Contact: Lewis W. Guiss, M.D., secretary, Department of Surgery, USC School of Medicine, Los Angeles.
- AMERICAN MEDICAL ASSOCIATION NATIONAL CONFERENCE ON THE MEDICAL ASPECTS OF SPORTS. Statler Hilton Hotel, Los Angeles. Sunday, November 25. Contact: Fred V. Hein, Ph.D., secretary, A.M.A. Committee on the Medical Aspects of Sports, 535 N. Dearborn Street, Chicago 10, Ill.
- AMERICAN MEDICAL ASSOCIATION CLINICAL MEETING, Biltmore Hotel, Los Angeles. November 25 through 28. Contact: F. J. L. Blasingame, M.D., executive vice-president, 535 N. Dearborn, Chicago 10.
- AMERICAN MEDICAL WOMEN'S ASSOCIATION, Ambassador Hotel, Los Angeles. November 29 through December 2. Contact: Jessie Laird Brodie, M.D., executive director, 1790 Broadway, New York 19.
- WEST COAST ALLERCY SOCIETY, Annual Meeting. December 1. Portland, Oregon. Contact: Mr. J. M. Chesebro, executive secretary, 1818 S.E. Division Street, Portland.
- Scripps Clinic and Research Foundation, Institute for Cardiopulmonary Diseases. "Cardiology: Physiology and Biochemistry." December 4 to 7. Sherwood Hall, La Jolla. Fee: AAC Members \$50. Non Members \$100. Contact: Harold M. Lowe, M.D., 476 Prospect Street, La Jolla.

1963 MEETINGS

- Los Angeles Pediatric Society Arthur H. Parmelee Lecture. January 9, 6:30 p.m. Ambassador Hotel, Los Angeles. *Contact:* Leslie M. Holve, M.D., vice president, 1015 Gayley, Los Angeles 24.
- Fresno County Heart Association, Central California Physicians' Cardiovascular Symposium. January 18, 9:00 a.m. to 5:00 p.m. Contact: J. A. Polhemus, M.D.,

- chairman, Professional Services Committee, 1921 East Belmont Street, Fresno.
- ORANGE COUNTY HEART ASSOCIATION 8th Annual Symposium on Cardiovascular Disease. Disneyland Hotel. January 19. Contact: Howard G. Buswell, executive director. P.O. Box 1704, Santa Ana.
- American Thoracic Society. "The Evaluation of Pulmonary Function." January 21 through 25. UC Medical Center, San Francisco. Co-sponsors: Tuberculosis and Health Association of California, California Thoracic Society, UC School of Medicine, Stanford University School of Medicine and California Department of Public Health. Fee: ATS members \$75. Non members \$100. Contact: John R. Goldsmith, M.D., chairman, Pulmonary Function Course Planning Committee, 130 Hayes Street, San Francisco 2.
- First Clinical Conference on Pediatric Anesthesia. Children's Hospital, Los Angeles. January 26 and 27. Contact: M. Digby Leigh, M.D., 4614 Sunset Boulevard, Los Angeles 27.
- Institute for Metabolic Research 11th Annual Session. "Dynamics of Endocrine and Metabolic Diseases." February 11 through 13. Highland-Alameda County Hospital, Main Auditorium, Oakland. Contact: L. W. Kinsell, M.D., director, Institute for Metabolic Research.
- AMERICAN COLLEGE OF PHYSICIANS Southern California Regional Meeting, Hotel Del Coronado, Coronado. February 15 through 17. Submit abstract of 300 words or less on or before November 1, 1962, to Walter P. Martin, M.D., 211 Cherry Avenue, Long Beach 2. Contact: George C. Griffith, M.D., Governor for Southern California, A.C.P., P.O. Box 25, 1200 North State Street, Los Angeles 33.
- Los Anceles County Medical Association, 8th Spring Postgraduate Meeting. Statler Hitlon Hotel, Los Angeles. February 16 and 17. Contact: T. W. McIntosh, M.D., 686 E. Union Street, Pasadena.
- Los Angeles County Heart Association, Midwinter Symposium on Heart Disease. Ambassador Hotel, Los


- Angeles, February 27, 9:00 a.m. to 4:00 p.m. Contact: Mr. Chauncey A. Alexander, executive director, 2405 West 8th Street, Los Angeles 57.
- AMERICAN COLLEGE OF CARDIOLOGY 12th Annual Meeting. February 28 through March 3. Ambassador Hotel, Los Angeles. Contact: Philip Reichert, M.D., executive director, Empire State Building, 350 5th Ave., New York 1.
- LOMA LINDA UNIVERSITY SCHOOL OF MEDICINE ALUMNI POSTGRADUATE CONVENTION. March 3 through 7. Refresher Courses: March 3 and 4, 8:00 a.m. to 12:00 noon; 2:00 p.m. to 5:00 p.m. White Memorial Medical Center. Scientific Assembly: March 5 through 7, Ambassador Hotel. Contact: Jack Hallatt, M.D., general chairman, 316 N. Bailey St., Los Angeles 33.
- AMERICAN BOARD OF SURGERY. 13th Annual Postgraduate Medical and Surgical Assembly. Pioneers Memorial Hospital, Brawley. March 15 and 16. *Contact:* Wayne E. Garrett, M.D., 528 G. Street, Brawley.
- International College of Applied Nutrition, Third Annual Convention. Huntington-Sheraton Hotel, Pasadena. March 21 and 22. *Contact:* Donald C. Collins, M.D., international secretary-general, 7046 Hollywood Boulevard, Suite 503, Hollywood 28.
- California Medical Association Annual Session.

 March 23 through 27. Ambassador Hotel, Los Angeles.

 House of Delegates convenes March 23. Scientific Program begins March 24. Contact: John Hunton, executive secretary, California Medical Association, 693

 Sutter Street, San Francisco 2.
- AMERICAN ACADEMY OF PEDIATRICS, Spring Session. Statler Hilton Hotel, Los Angeles. April 22 to 24. Contact: W. J. Becker, business manager, 1801 Hinman Avenue, Evanston, Illinois.
- AMERICAN GASTROENTEROLOGICAL ASSOCIATION. May 30 through June 1. Fairmont Hotel, San Francisco. Contact: Wade Volwiler, M.D., Department of Medicine, University of Washington, Seattle.





LOMOTIL

(brand of diphenoxylate hydrochloride with atropine sulfate)

ANTIDIARRHEAL TABLETS and LIQUID

lowers motility / relieves cramping / controls diarrhea

Roentgenographic studies by Demeulenaere¹ established that a single dose of 10 mg. of Lomotil slowed gastrointestinal transit within two hours and that it maintained its decelerating activity for more than six hours.

In diarrhea this lowered propulsion permits a physiologic absorption of excess fluid, lessens frequency and fluidity of stools and gives safe, selective, symptomatic control of most diarrheas. Concurrently, it conserves electrolytes and controls cramping.

Investigators have found the antidiarrheal action of Lomotil not only "excellent" but "efficacious" where other drugs have failed. . . ."

bosage: For adults the recommended initial dosage is two tablets (2.5 mg. each) three or four times daily, reduced to meet the requirements of each patient as soon as the diarrhea is under control. Maintenance dosage may be as low as two tablets daily. For children daily dosages, in divided doses, range from 3 mg. (½ teaspoonful three times daily) for infants 3 to 6 months to 10 mg. (1 teaspoonful

five times daily) for children 8 to 12 years. Lomotil is supplied as unscored, uncoated white tablets of 2.5 mg. and as liquid containing 2.5 mg. in each 5 cc. A subtherapeutic amount of atropine sulfate (0.025 mg.) is added to each tablet and each 5 cc. of the liquid to discourage deliberate overdosage. The recommended dosage schedules should not be exceeded.


NOTE: Narcotic prescription is required in California.

Descriptive literature and directions for use detailed in Physicians' Product Brochure No. 81 available from G. D. Searle & Co., P. O. Box 5110, Chicago 80, Illinois.

- 1. Demeulenaere, L.: Action du R 1132 sur le transit gastrointestinal, Acta Gastroent. Belg. 21:674-680 (Sept.-Oct.) 1958.
- 2. Kasich, A. M.: Treatment of Diarrhea in Irritable Colon, Including Preliminary Observations with a New Antidiarrheal Agent, Diphenoxylate Hydrochloride (Lomotil), Amer. J. Gastroent. 35:46-49 (Jan.) 1961.
- Weingarten, B.: Weiss, J., and Simon, M.: A Clinical Evaluation of a New Antidiarrheal Agent, Amer. J. Gastroent. 35:628-633 (June) 1961.

G. D. SEARLE & CO.

Research in the Service of Medicine



Safety through Simplicity



DON BAXTER, INC. GLENDALE, CALIFORNIA

effective fluid maintenance therapy

FOR OVER 80% OF YOUR PATIENTS

Isolyte M

ò		ä
200	COMPOSITION REPUBLICA	
9		ě
1.5	Destrose Milherativatents	
	Districts Gen. Ship KH Cir Lett BPCs Caldise mbs.	
300		Ė
100	80 40 35 40 50 16 186 400	100
100		
d		l




Whatever happened to handkerchiefs?

Remember when handkerchiefs were used for stuffy or runny noses? That was before Naldecon. Naldecon lets your head-cold patient breathe the way he should. Through the nose. Honest relief that lasts up to 8 hours with one sustained action tablet. (When you need it, even half a tablet retains the sustained action tablet (When you need it; even half a tablet retains the sustained action feature.) The counterbalance between two antihistamines and two decongestants usually gives excellent results—seldom causes over-stimulation or sedation. Keep handkerchiefs for showing. Prescribe Naldeton.

*Each tablet contains phenylephrine HCl 10 mg., phenylpropanolamine HCl 40 mg., phen





Nutritional supplementation is basic to postoperative care. Therapeutic allowances of B and C vitamins help meet increased metabolic requirements and compensate for stress depletion. STRESSCAPS can set the patient on a more favorable course and contribute to full recovery. Packaged in decorative "reminder" jars of 30 and 100.

Each capsule contains:			
Vitamin B ₁ (Thiamine Mononitrate)	10 mg		
Vitamin B ₂ (Riboflavin)	10 mg		
Niacinamide	100 mg		
Vitamin C (Ascorbic Acid)	300 mg		
Vitamin B ₆ (Pyridoxine HCI)	2 mg		
Vitamin B _{1,2} Crystalfine	4 mcgm		
Calcium Pantothenate	20 mg		

LEDERLE LABORATORIES, A Division of AMERICAN CYANAMID COMPANY, Pearl River, N. Y. Lederle







who coughed?

HYCOMINE SYRUP for COUGHS

provides fast and long-lasting cough control

relieves cough in 15-20 minutes. • lasts 6 hours or longer • promotes expectoration and decongestion of air passages • rarely constipates • agreeably cherry-flavored

Each teaspoonful (5 cc.) of Hycomine Syrup contains:

contains:
Hycodan® 6.5 mg.
Dihydrocodeinone Bitartrate 5 mg.
(Warning: May be habit-forming)
Homatropine Methylbromide 11.5 mg.
Pyrilamine Maleate 12.5 mg.
Phenylephrine Hydrochloride 10 mg.
Ammonium Chloride 60 mg.
Sodium Citrate 85 mg.

Average adult dose: One teaspoonful after meals and at bedtime. May be habit-forming. On oral prescription where state laws permit. U.S. Pat. 2,630,400.

Literature on request



ENDO LABORATORIES Richmond Hill 18, New York



Goliath

David

Against the formidable and ubiquitous Staphylococcus aureus, PANALBA* gives you a powerful weapon. PANALBA is a selective combination of novobiocin (for its unique effectiveness against staph) and tetracycline (for its breadth of coverage). From the outset, your treatment has broader antibacterial coverage resulting from the simultaneous administration of two antibiotics that complement each other. They were carefully chosen for this purpose.

That is why PANALBA offers excellent chances for therapeutic success.

*TRADEMARK, REG. U.S. PAT. OFF.
COPYRIGHT 1962, THE UPJOIN COMPANY

advertisement.
Please see
package insert for
detailed product
information.

Upjohn
THE UPJOHN COMPANY
KALAMAZOO, MICHIGAN

Reminder

asthma attack averted ...in minutes

patient protectedfor hours





Nephenalin (the dual-action anti-asthmatic tablet)

... works with nebulizer speed-provides four-hour protection

One Nephenalin tablet provides: air in a hurry—through sublingual isoproterenol HCl, 10 mg. air for hours—through theophylline, 2 gr.; ephedrine, 3/8 gr.; phenobarbital, 1/8 gr.

Dosage: Hold one Nephenalin tablet under the tongue for five minutes to abort the asthmatic attack promptly. Then swallow the tablet core for four full hours' protection against further attack. Only one tablet should be taken every four hours. No more than five tablets in 24 hours. Supplied: Bottles of 50 tablets. For children: Nephenalin Pediatric, bottles of 50 tablets.

Caution: Do not administer Nephenalin with epinephrine. The two medications may be alternated at 4-hour intervals. Nephenalin should be administered with caution to patients with hyperthyroidism, acute coronary disease, cardiac asthma, limited cardiac reserve, acute myocardial damage, and to those hypersensitive to sympathomimetic amines. Phenobarbital may be habit forming. Thos. Leeming & Co., Inc., New York 17, N.Y.



For peptic ulcer gastric hyperacidity and gastritis...

In year-long study on peptic-ulcer patients

New Creamalin® Antacid Tablets

"...faster in onset of action...and for a longer period"*

"Clinical studies in 85 patients with duodenal ulcer ... confirmed the superiority of the new preparation [new Creamalin] over standard aluminum hydroxide preparations, in that prompt relief was achieved and maintained throughout the period of observation."*

Patients were followed for about one year.

New Creamalin promotes ulcer healing, permits less frequent feedings because it is so long-acting. Heartburn and epigastric distress were "...easily and adequately controlled...."* New Creamalin has the therapeutic advantage of a liquid antacid with the convenience of a palatable tablet. It does not cause constipation.


Each new Creamalin tablet contains 320 mg. of specially processed highly reactive dried aluminum gel (stabilized with hexitol) with 75 mg. of magnesium hydroxide. Minute particles offer a vastly increased surface area.

Dosage: Gastric hyperacidity—from 2 to 4 tablets as needed. Peptic ulcer or gastritis—from 2 to 4 tablets every two to four hours. How Supplied: Bottles of 50, 100, 200 and 1000.

Now also available—New Creamalin Improved Formula Liquid. Pleasant mint flavor—creamy pink color. Stabilized reactive aluminum and magnesium hydroxide gel (1 teaspoon equals 1 tablet). Bottles of 8 and 16 fl. oz.

Creamalin, trademark reg. U.S. Pat. Off. *Schwartz, I. R.:

Current Therap. Res. 3:29, Feb., 1961.



A well-balanced formulation of the vitamins and minerals known to be needed in human nutrition, The Stuart Formula has been advertised to the medical profession and sold through drug stores for over 20 years. It is the

oldest and best-known product of its kind. You can rely on it.

THE STUART COMPANY PASADENA, CALIFORNIA

THE STUART FORMULA®

One tablet contains: VITAMINS: A 5,000 USP Units Niacin and Niacinamide 15 mg D 500 USP Units d-Calcium Pantothenate 5 mg C 50 mg E 0.15 i.U B1 2.5 mg Yeast and desiccated liver are added as sources of natural vitamin B as sources of natural vitamin B Complex factors Complex factors MINERALS: Manganese 0.5 mg

 Calcium
 100 mg
 Manganese
 0.5 mg

 ron
 7.5 mg
 Potassium
 2.5 mg

 Magnesium
 2.5 mg
 Zinc
 0.15 mg

The Stuart Formula is available as a pleasant tasting liquid

NEW...made from 100% corn oil UNSALTED MARGARINE FOR HYPERTENSIVE PATIENTS

- * contains only 10 mgs. of sodium per 100 grams
- * contains 50% liquid corn oil and 50% partially hydrogenated corn oil
- * has 30% linoleic acid-10 times that of butter

Because of the relationship of high-sodium intake to elevated blood pressure, new Fleischmann's Unsalted (Sweet) Corn Oil Margarine will prove to be a valuable addition to the dietary regimen of your hypertensive patients. It contains only 10 mgs. of sodium per 100 grams.

Fleischmann's Unsalted (Sweet) Margarine is made from 100% corn oil and contains both liquid corn oil and partially hydrogenated corn oil. Its linoleic acid content of 30% is three times higher than the 10% of regular margarines and ten times higher than the 3% of butter. This is the only unsalted margarine made from 100% corn oil.

The substitution of Fleischmann's Unsalted (Sweet) Corn Oil Margarine for butter or ordinary margarines in your hypertensive patients' dietary regimen has the added advantage of increasing their intake of high polyunsaturates . . . and this is most important because of the association of polyunsaturates with hypertension and atherosclerosis.

If your hypertensive patient needs sodium restriction, recommend Fleischmann's Unsalted (Sweet) Margarine. It has a light, delicate taste that he'll like. Tell him that it is available in his grocer's frozen food case. Distribution presently limited in some areas.

In line with the suggestion of the American Heart Association to manufacturers, we are listing the fatty acid composition of Fleischmann's Urisalted (Sweet) Margarine:

Unsaturated Fatty Acids:



Fresh-Frozen in the green full package in your grocer's frozen food case



AVERAGE DAILY INTAKE Two Owness or Eight Pots of Philoshnoon's Corn Olt Mangarine Will Supply

ONLY UNSALTED MARGARINE MADE FROM 100% CORN OIL



sign of infection?

symbol of therapy!

liosone[®] is better absorbed—It provides high, long-lasting levels of antibacterial activity—two to four times those of other crythromycin preparations—even on a full stomach. Hosone is bectericidal—It provides bactericidal action against streptococci, pneumococci, and some strains of staphylococci. Hosone activity is concentrated—It exerts its greatest activity against the gram-positive organisms—the offending pathogens in most common bacterial infections of the respiratory tract and soft tissues.


The usual dosage for infants and for children under twenty-five pounds is 5 mg. per pound every six hours; for children twenty-five to fifty pounds, 125 mg. every six hours. For adults and for children over fifty pounds, the usual dosage is 250 mg. every six hours. In more severe or deep-seated infections, these dosages may be doubled. Hosone is available in three convenient, forms. Pulvules — 125 and 250 mg.*: Oral Suspension—125 mg.* per 5-cc. teaspoon-

forms: Pulvules*--125 and 250 mg.*; Oral Suspension-125 mg.* per 5-cc. teaspoonful; and Drops-5 mg.* per drop, with dropper calibrated at 25 and 50 mg.



This is a reminder advartisement. For adequate information for use, please consult manufacturer's literature. Ell Lilly and Company, Indianapolis 6, Indiana. Ilosone® (erythromycin estolate, Lilly) *Base equivalent

lesone works to speed recovery



Why does SARDO so effectively relieve¹⁻⁵ dryness and itching in so many patients with eczematoid dermatitis, atopic dermatitis, senile pruritus, contact dermatitis, soap dermatitis, diabetic dry skin, neurodermatitis?

These are the reasons ...

HIGH QUALITY SARDO is the **original**, **exclusive**, high quality water-dispersible bath additive oil.*

IMMEDIATE DISPERSIBILITY

SARDO promptly disperses millions of microfine globules uniformly throughout the bath water; no unsightly oil slicks as with certain other bath additives.

SUPERIOR ADSORBABILITY SARDO covers the skin with a fine, unobtrusive long-clinging oil film . . . which lubricates, softens, prevents excessive moisture evaporation and so helps to replenish natural oil and moisture.

ECONOMICAL In addition, the cost per application of SARDO is low — for only **one** capful per bath is required for therapeutic effect.

PLEASANT Unique pine scent, non-sticky, non-sensitizing,

SARDO assures patient cooperation.

SARDO consists of oils and various esters of specially selected organic acids having a chain length of C-14 and 16 in combination with non-irritating wetting agents to provide colloidal dispersion of the lipophilic phase. Fragrance consists of natural essential oils, isolates, and aromatics.

FOR SAMPLES AND LITERATURE


please write... SARDEAU,

INC. 75 East 55th Street, New York 22, N. Y.

Also available: SARDOETTES, disposable compresses impregnated with SARDO, for topical application in relieving skin dryness, itching, scaliness in the same conditions as listed for SARDO.

 Borota, A., and Grinell, R. N.: J. Amer. Geriatrics Soc., 10:413, 1962.
 Spoor, H. J.: N. Y. State J. M., 58:3292, 1958.
 Lubowe, I. I.: Western Med., 1:45, 1960.
 Weissberg, G.: Clin. Med., 7:1161, 1960.
 Lieberman, W.: Amer. J. Proctology, 12:374, 1961.

* Pat. Pend. T.M. © 1962 by Sardeau. Inc.



* More satisfactory than "the usual analgesic compounds" for relieving pain and anxiety.1

* More effective than a standard A.P.C. preparation for relief of moderate to severe pain.2

Each Phenaphen capsule contains:

Acetylsalicylic acid (2½ gr.)..... 162 mg.

Phenacetin (3 gr.) 194 mg.

Phenobarbital (1/4 gr.)..... 16.2 mg.

Hyoscyamine sulfate0.031 mg.

1. Meyers, G. B.: Ind. Med. & Surg. 26:3, 1957. 2. Murray, R. J.: N. Y. St. J. Med. 53:1867. 1953.

Also available:

PHENAPHEN with CODEINE PHOSPHATE

1/4 GR. (16.2 mg.) Phenaphen No. 2

PHENAPHEN with CODEINE PHOSPHATE

1/2 GR. (32.4 mg.) Phenaphen No. 3 PHENAPHEN with CODEINE PHOSPHATE

1 GR. (64.8 mg.) Phenaphen No. 4

Bottles of 100 and 500 capsules.

A. H. ROBINS CO., INC., RICHMOND 20, VIRGINIA

Making today's medicines with integrity... seeking tomorrow's with persistence.

Especially...


WHEN BRONCHIAL ASTHMA IS COMPLICATED BY HYPERTENSION • HEART DISEASE • HYPERTHYROIDISM

ELIXOPHYLLIN

(theophylline in its most absorbable oral form)

... provides relief quickly, dependably, safely.19

...avoids the side effects and contraindications of ephedrine polypharmaceuticals or similar sympathomimetics



Minutes after administration. Mean values in adult subjects following administration of the single dose commonly used in clinical practice.

Each tablespoonful (15 cc.) contains the ophylline 80 mg. (equivalent to 100 mg. aminophylline) in a hydroalcoholic vehicle (alcohol 20%).

Acute Attacks: single dose of 75 cc. for adults; 0.5 cc. per lb. of body weight for children.

24 Hour Control: for adults 45 cc. doses before breakfast, at 3 P.M., and before retiring; after two days, 30 cc. doses. Children, first 6 doses 0.3 cc.—then 0.2 cc. per lb. of body weight as above. (Gastric distress rerely encountered.)

References: (1) Keesler, F.: Connecticut S.M.J. 27:205 (March) 1957. (2) Burbank, B.; Schtuger, J., and McGinn, J.: Am. J. Hed. Sci. 234:28 (July) 1957. (5) Spielmen, A.D.: Ann. Allergy 15:270 (June) 1957. (4) Grignfattiff, J.: Ann. Allergy 15:212 (May-June) 1958. (5) Keesler, F.: Medical Times 27:1226 (Oct.) 1958. (6) Bickerman, H.A., and Barach,

A. L., In Modell, W.: Druge of Choice 1900-1901, St. Louis, The C. V. Migeby Company, 1900, p. 395. (7) Withdim, R. E. in Conn., H. F.; Current Thermay, 1981, Philadelphia, W. B. Saunders Company, p. 417, (6) Schlöger, J. McGinn, J. T., and Hennessy, D. J.: Ann. J. Migs. Sci. 237-258, 1957.

Shorman Laboratories
Detroit 11, Michigan



CLASSIFIED ADVERTISEMENTS

Rates for these insertions are \$10 for fifty words or less; additional words 10 cents each Box number charge: 50c

Copy for classified advertisements should be received not later than the eighth of the month preceding issue. • Classified advertisers using Box Numbers forbid the disclosure of their identity. Your inquiries in writing will be forwarded to Box Number advertisers.

The right is reserved to reject or modify all classified advertising copy in conformity with the rules of the Advertising Committee.

CLASSIFIED ADVERTISEMENTS ARE PAYABLE IN ADVANCE

PHYSICIANS WANTED

PHYSICIAN, SURGEON, PSYCHIATRIST—Attractive assignment for Doctors seeking a change in practice. Adjacent to beautiful new residential area and Lake Folsom in the Mother Lode section of the high Sierra country. Two hours to San Francisco, Lake Tahoe, or Yosemite. Staff assignment in a correctional field; starting salary \$13,332 to \$15,000, depending on qualifications, 40-hour week, paid vacation, liberal retiremen program. Contact Dr. Lester J. Pope, M.D., Medical Director, Department of Corrections, State Office Building No. 1, Sacramento 14, California. HI 5-4711, Ext. 3693.

ANESTHESIOLOGIST—BOARD CERTIFIED OR QUALIFIED—for growing hospital in San Fernando Valley with thoracic and general surgery. California medical license required. Starting salary \$1,085 per month, plus Los Angeles County Civil Service benefits. 5-day week. Address inquiries to: Medical Director, Olive View Hospital, Olive View, California.

PEDIATRICIAN, PSYCHIATRIST, ORTHOPEDIST, G. P. Excellent location, frost-free Southern California, near ocean, desert, mountains, and Los Angeles. No smog. 100,000 rapidly growing population. Beside 250-bed excellent hospital. Paul H. Ohliger, M.D., 12892 Palm Street, Garden Grove, California.

PHYSICIANS NEEDED FOR GENERAL HOSPITAL: 1. Staff Physician, experience in Tuberculosis. 2. Staff Physician, general medical with experience in rehabilitation. Accredited 230-bed hospital with active State-approved rehabilitation department, located in beautiful Sierra foothills. Fishing, boating, hunting. Salary includes completely furnished 2-3 bedroom house. Apply: Medical Director, Tulare-Kings Counties Hospital, Springville, California.

LOCUM TENENS FOR GENERAL PRACTITIONER who would be interested in locating in thriving Sacramento Valley community. Locum Tenens for at least three months; needed in March, April, and May 1963. Thereafter, office space would be available for private practice. Would consider an association with right person. Area covered: 75,000 population. Box No. 96,595, California Medicine.

MEDICAL GROUP desires a general practitioner, pediatrician, or internist. May start on a partnership with percentage of professional fees with guaranteed minimum. Located near the mountains and beaches in Southern California in Anaheim near Disneyland. Contact Box No. 96,600, California Medicine.

PHYSICIAN—Excellent opportunity for California certified M.D. with a year's experience in pediatrics or obstetrics (or having completed residency in same), or a year's experience in maternal and child health in a public health department. Abbreviated Civil Service employment procedures. For information, contact Beryl Graham, M.D., L. A. County Health Dept., 241 N. Figueroa, Los Angeles 12, Calif.

SITUATIONS WANTED

OTOLARYNGOLOGIST—University trained with California license, desires practice (solo or group) in southern California area to start July, 1963. Box No. 96,560, California Medicine.

GENERAL PRACTITIONER—Experienced in general surgery; 27 years experience; California Licensed. Desires association or Locum Tenens in San Francisco or Bay areas. Box No. 96,585, California Medicine.

PRACTICES FOR SALE

BUSY FAMILY AND INDUSTRIAL PRACTICE near South Bay Los Angeles suburbs. 2,000 sq. ft. medical building, fully equipped, including X-Ray and surgical equiment, microtherm, whirlpool, ultrasound. \$5,000 a month gross, could easily be increased in a frew months with partnership practice; will easily support a surgeon and internist. "Leaving for Residency." Box No. 96,590, California Medicine.

IMMEDIATE SALE — WELL-ESTABLISHED INTERNAL MEDICINE PRACTICE in Metropolitan Oakland. Easy Terms; make first payment next year. For information, write P. O. Box 2842, Oakland, California.

ESTABLISHED PRACTICE FOR GENERAL PRACTITIONER AVAILABLE SOON. Owner leaving for residency. Fully equipped and ideally located office near Los Angeles central area—convenient to hospitals, freeways, and shopping centers. Financing available. Box No. 96,610, California Medicine.

AVAILABLE ON ATTRACTIVE TERMS—to qualified physician, wellestablished industrial surgery practice in Los Angeles. Regular hours. Please state training and experience. Replies will be held strictly confidential. Box No. 96,605, California Medicine.

EQUIPMENT FOR SALE OR LEASE

RADIOLOGICAL EQUIPMENT FOR SALE. All purchased in 1946. Radium: Six 10 mg needles, 2 cm in length; eight 1 mg needles, 1 cm in length. Phillip Contact Therapy with beryllium window. Keleket 220 KV Therapy. Contact: A. M. Tuttle, M.D., 2415 G St., Bakersfield, California.

FOR SALE: Picker CS-1500 Cesium 137 Ceiling Mounted Unit with 15 cm. SSD Treatment Cones, 1,500 Curies, \$18,000.00. Write MCF, 2315 Bath Street, Santa Barbara, California.

LEASE—instead of buying, your medical equipment, instruments and/or furnishings. Advantages include: 100% tax deduction; option to buy. Write A. M. Equipment Leasing Corporation, Suite 205; 259 S. Beverly Drive, Beverly Hills; or phone Miss Dunn, CRestview 3-3151; no obligation.

PICKER "ANATOMATIC CENTURY" 200 M.A. X-RAY MACHINE. Complete with motor-driven tilt table, 1/10 second reciprocating bucky, counter-balanced fluoroscopic screen, etc. Excellent unit for General Practice or Orthopedics. \$3,325 with financing available. Darkroom and accessory items optional. Don Lastreto, M.D., 5 Peabody St., San Francisco, Calif.

(Continued on Page 82)


PHYSICIAN PLACEMENT SERVICE

of the


CALIFORNIA MEDICAL ASSOCIATION

The C.M.A. offers free placement assistance through the Physician Placement Service, 693 Sutter Street, San Francisco 2, California. This service is for the use of all physicians seeking practice opportunities in California and for C.M.A. members who are seeking an assistant or associate. A monthly bulletin is published.





Thanks to 135 tiny doses' throughout the





Morning stiffness may be reduced or even eliminated as a result of therapy with the only steroid in long-acting form. And the slow, steady release of steroid makes it possible in some cases to reduce the frequency of administration and/or the total daily steroid dosage.

Each hard-filled capsule contains Medrol (methylprednisolone) 4 mg. Also available in 2 mg. soft elastic capsules.

Supplied in bottles of 30 and 100.

Upjohn

The Upjohn Company, Kalamazoo, Michigan



you can almost match the "olden time cures of 100%" legitimately, with ... TRIVA combination

■ Regardless of cause (Monilla, Trichomonas, Non-specific), 85% of 255 consecutive vulvovaginitis patients were clear 3, or more, months after treatment. ■ Diagnosis and "cure" were based on the most definitive and objective testing methods ever reported — methods determined only after exhaustive and rigorously controlled studies. ■ Side effects (burning and/or irritation) were minimal. Although some patients did complain, these complaints were no more than could be expected for a non-selective clinical study.

TRIVA Combination (Douche & Jel) is simple and convenient to use ... patient cooperation is outstanding —particularly since the therapeutic course is so short, only 16 days. ■ FORMULA: Triva Combination contains as active ingredients ... Douche: Oxyquinoline sulfate 2%, alkyl aryl sulfonate 35%, disodium ethylenediaminetetraacetate 0.33%, sodium sulfate 53% ... Jel (each 5 gm.): oxyquinoline benzoate 7.5 mg., alkyl aryl sulfonate 62.5 mg., disodium ethylenediaminetetraacetate 2.5 mg., 9-aminoacridine HC I 10 mg., copper sulfate 0.063 mg., sodium sulfate 6.9 mg... For full information on action, dosage, administration and precautions refer to page 541 of your current PDR. ■ REFERENCE: 1. Moore, J. G. and Hindle, W. H., "Practical Treatment of Clinical Vulvovaginitis," delivered at the Annual District VIII Meeting, Am. College of Obst. & Gynec., Denver, Colo, September 12, 1960.

BOYLE & COMPANY BELL GARDENS, CALIFORNIA




Stelazine® will stop anxiety—but not your patient!

To be truly useful in your office patients, an ataractic agent must not only relieve anxiety; it must also leave these patients sufficiently alert to engage in their normal activities.

'Stelazine' is such an agent. Its ability to relieve anxiety without producing appreciable sedation has been established in thousands of patients and documented by many published reports. Typical is the finding of Kolodny, who concluded that the primary advantage of 'Stelazine' over many other tranquilizers seems to be "its ability to relieve symptoms of anxiety without undue interference with alertness."

When you wish to relieve anxiety, yet encourage the patient to engage in his normal activities, consider 'Stelazine'.

r. Kolodny, A.L.: Dis Nerv. System 22:151 (Mar.) 1961.



NEW ANOREXIENT FOR THE "DIFFICULT PATIENT"

"In the cooperative patient, (OBETROL) was markedly beneficial in producing the desirable weight loss with minimal side effects, even in the case of a high percentage of patients with cardiovascular and other chronic ailments which normally make use of other amphetamines undesirable because of side effects." (1,3)

"In a group of 100 patients, of whom 60 had diabetes, arteriosclerosis, hypertension, or a combination thereof, we were able to get weight reduction, using (OBETROL) and diet...With a daily divided dosage of 30 milligrams of (OBETROL) we were able to obtain appetite depression without nervous restlessness or insomnia..." 26 patients who previously had been unable to use other amphetamines in any dosage sufficient to maintain the anorectic effect, responded favorably on this medication. (1,3)

DIABETIC PATIENTS on OBETROL showed improved carbohydrate *tolerance* with decreased need for hypoglycemic agents. (1,3)

HYPERTENSIVE, ARTERIOSCLEROTIC AND CARDIOVASCULAR PATIENTS on OBETROL showed: ■ no increase in angina or elevation of blood pressure... ■ diminished need for hypotensive agents, and nitroglycerine... ■ decreased evidence of coronary insufficiency. (1,3)

PATIENTS REJECTED PLACEBO — "An attempt was made to use a placebo tablet identical in appearance in a group of 25 patients at the end of the 4th week of therapy. Not surprisingly, there was universal rebellion to the substitution and almost immediate demand for the active pill." (1,3)

OBETROL for medical management of obesity

Trademark. A Unique combination of equal parts of Methamphetamine Saccharate, Methamphetamine Hydrochloride, Amphetamine Sulfate and Dextroamphetamine Sulfate. Pat. #2748052



OBETROL is available in 10 mg. and 20 mg. tablets in bottles of 100, 500, and 1,000. Write for samples and literature.

OBETROL PHARMACEUTICALS 382 Schenck Avenue, Brooklyn 7, N. Y

¹Simon, F. & Bernstein, A.: "The Treatment of Obesity in Patients with Cardiovascular Disease," Angiology, 32-37, Jan. 1961.

²Plotz, M.: Modern Management of Obesity, J.A.M.A. 170:1513-1515 (July 25) 1959. ³Bernstein, A. & Simon, F.: "Treatment of Obese Diabetics and Arteriosclerotics," Clin. Med. 907-920, May 1961.

RELIEVE THE COLD SUPPRESS THE COUGH WITH NEW

'EMPRAZIL-C'

TABLETS

ANTITUSSIVE DECONGESTANT ANALGESIC

Each tablet contains:


Codeine Phosphate*	g.
'Sudafed'® brand Pseudoephedrine Hydrochloride 20 mg	g.
'Perazil'® brand Chlorcyclizine Hydrochloride	g.
Acetophenetidin150 m	g.
Aspirin (Acetylsalicylic Acid)200 m	g.
Caffeine	g.

*Warning—may be habit forming.

Complete literature available on request.

Also available without codeine as

'EMPRAZIL'





BURROUGHS WELLCOME & CO. (U.S.A.) INC., TUCKAHOE, N.Y.



DELENAR loosens the rheumatic grip on muscles and joints, starts them functioning again—first by a direct relaxant action on skeletal muscle, again by its specific analgesic effects. And, while immediate symptomatic relief restores motion, underlying inflammation is reduced with the low-dosage corticosteroid.


Now you can restore comfortable motion safely, surely with DELENAR in rheumatoid arthritis/traumatic arthritis/early osteoarthritis/spondylitis/fibrositis/myositis/bursitis/tenosynovitis.

Formula:


Orphenadrine HCI. 15 mg. Proved muscle relaxant to relax spasm Aluminum Aspirin. 375 mg. Fast analgesic relief of motion-stopping pain Dexamethasone* 0.15 mg. Low-dosage anti-inflammatory steroid For complete details, consult latest Schering literature available from your Schering Representative or Medical Services Department, Schering Corporation, Bloomfield, N. J. Bibliography: 1. Ernst, E. M.: Pennsylvania M.J. 63:708 (May) 1960. 2. Settel, E.: Clin. Med. 7:1835 (Sept.) 1960.
*Deronle® brand of dexamethasone

loosens the rheumatic grip on muscles and joints

Delenar®



Brightens mood...relaxes tension




Dosage: Usual starting dose is 1 tablet q.i.d. When necessary, this may be increased gradually up to 3 tablets q.i.d. With establishment of relief, the dose may be reduced gradually to maintenance levels.


Composition: 1 mg. 2-diethylaminoethyl benzilate hydrochloride (benactyzine HCI) and 400 mg. meprobamate.

Supplied: Bottles of 50 light-pink, scored tablets.

Write for literature and samples.

Deprol*





You get these results with help of Fostex

Acne lesions clear faster

Fostex is a more complete acne prescription because it contains 6 anti-acne agents . . . not just 1 or 2. These 6 agents, working together, provide essential actions necessary for local treatment of acne.

Fostex degreases, dries and peels and degerms acne skin. It helps remove blackheads, unblock pores, prevent pustules and scar-producing cysts, and rids the skin of bacteria. Fostex is easy to use. Instead of using soap, patients simply wash acne skin with Fostex Cream or Cake 2 to 3 times daily.

Only Fostex contains this unique combination of anti-acne agents: Sebulytic® (3 surface-active agents-sodium lauryl sulfoacetate, sodium alkyl aryl polyether sulfonate, sodium dioctyl sulfosuccinate), plus micropulverized sulfur 2%, salicylic acid 2% and hexachlorophene 1%. Supplied-Fostex Cake, bar form. Fostex Cream, 4.5 oz. jars. Also used as a therapeutic shampoo in dandruff and oily scalp which often accompanies acne.

WESTWOOD PHARMACEUTICALS . BUFFALO 13, NEW YORK

FOSTEX® treats pimples, blackheads, acne while patients wash

CLASSIFIED ADVERTISEMENTS

(Continued from Page 71)

OFFICES FOR LEASE, RENT OR SALE

E.N.T.—ORTHOPED.—OPHTHAL.—DERMA.—Medical-Dental building has good opportunity for an association with the above specialties. Building now staffed with G.P., Gen. Surgeon, Pediatrician, Int. Medicine, O.B.-Gyn., D.D.S., X-Ray and Laboratory, Pharmacy. Excellent hospitals in a growth area. CHAPMAN PROFESSIONAL PLAZA, 10510 Chapman Avenue, Garden Grove, California.

OFFICE FOR LEASE—Medical suite suitable for OB-GYN, Ophthalmologist or GP. Good location in Petaluma (40 miles north of San Francisco). Partially equipped. Call or write Rudolph Oppenheimer, M.D. Liberty 5-4491, 1188 Montgomery Drive, Santa Rosa, California.

MODERN MEDICAL OFFICE FOR LEASE—Over 1,000 square feet including reception room, business and private offices, three treatment rooms, and laboratory. Located in Santa Maria, California, near Vandenberg Air Force Base. Contact Dr. L. T. Haglund, 431 S. McClelland, Santa Maria, California.

SAN LEANDRO, CALIFORNIA—Medical Arts Center, centrally located in East Bay Area. Medical suites available in large, new airconditioned building with pharmacy. Adjacent to new 92-bed Doctors' Hospital. Near San Leandro Memorial Hospital. Equity in building possible. Contact Mr. Maier, 13855 East 14th Street, San Leandro. Phone 357-6500.

MEDICAL SUITE AVAILABLE FOR GENERALIST—Waiting room, consultation room, two treatment rooms, small lab. Excellent opportunity. For information, telephone JUniper 5-5058, San Francisco.

SAN DIEGO—Point Loma area near marine facilities, prestige residential area, hospitals close by. Two suites now available in established, plush medico-dental center, partially furnished. Other suites occupied by two G.P.'s, two dentists, OB-Gyn specialist, a Board Surgeon, Lab and X-Ray. Excellent opportunity for pediatrician, internist, or G.P. Write or call L. Dean Gibson, M.D., 7910 Frost St., San Diego 23, Calif.—278-4310.

IN MARIN COUNTY—Two Medical Suites are now available in the San Anselmo Medical Building, 891 Sir Francis Drake Boulevard, in downtown San Anselmo. \$125 and \$225 per month. Phone 453-7501.

NEW ULTRA MODERN, AIR-CONDITIONED MEDICAL CENTER with ample parking. Adjacent to Pacific Hospital of Long Beach. Individual personalized planning still available. Excellent opportunity for Specialists in new building with established practitioners. 40c per sq. ft.—Call GA 4-8527, Long Beach.

DESIRE TO SHARE ESTABLISHED OFFICE SPACE at 3905 Sacramento Street, San Francisco (opposite Children's Hospital). Specialties preferred, though not necessary. Call Dr. James Neely, WA 1-4136, anytime. James C. Neely, M.D., 3905 Sacramento St., San Francisco.

FOR RENT—IN RAPIDLY GROWING SAN JOSE, CALIFORNIA.
Three individual, wood-paneled, sound-proofed, air-conditioned ofces specifically designed for practice of psychiatry in an excellently located psychiatric center. Drs. Closson, Hall, and Kohn, 1120 McKendrie Street, San Jose; Telephone CHerry 8-2459.

MEDICAL DENTAL CENTER IN ANAHEIM—For lease: New equipped drug store and medical suites, air-conditioned, piped music, center of Orange County population. 24,000 cars per day local traffic. Ample parking. K. M. Niles, 20212 East Chapman, Orange, California—KEllogg 8-5257.

CLASSIFIED ADVERTISEMENTS

USE THIS BLANK TO WRITE YOUR CLASSIFIED AD TO FIND: ASSOCIATES • PARTNERS • EMPLOYEES • | PRACTICES • EQUIPMENT, ETC.


Copy for classified advertisements should be received not later than the eighth of the month preceding issue.

Advertisements are payable in advance.

FOUNTIA MEDICINE 693 SUTTER STREET, SAN FRANCISCO 2, CALIFORNIA
Address

INTELE TO CALIFORNIA MEDICINE ADVERTISERS

Abbott Laboratories Vi-Daylin Chewable. Insert 48-49	Endo Laboratories Percodan	Roche Laboratories LibriumThird Cover
	1 ercouun 51	LiortamThird Cover
Alexander Sanitarium	Fougera, E. & Co., Inc. Wright's LCD	Roerig, J. B., & Co. <i>Enarax</i> 41
American Tobacco Company	,, , , , , , , , , , , , , , , , , , ,	TaoInsert 32-33
Dual Filter Tareyton 34	General Electric Company	1 40
Ames Company, Inc.	X-Ray24	Sardeau, Inc.
<i>Uristix</i>	-	Sardo 64
	General Mills, Inc.	
Armour Pharmaceutical Co.	Saff-O-Life 39	Schering Corp.
Chymoral 84		Coriforte 9
Thyroid 15	Grant, R. D., Co.	Delenar 79
Baxter, Don, Inc.	Airmass Alternating Pressure	Social C. D. and Company
Isolyte MInsert 52-53	Pads 53	Searle, G. D., and Company Dramamine36, 37
100000000000000000000000000000000000000	Kip, Inc.	Lomotil 51
Birtcher Corporation, The	Anti-Pyrexol 52	Lomotti 51
Megason XII Ultrasonic 30	Anti-1 greate	Sherman Laboratories
Danah and Campunan	Lederle Laboratories	Elixophyllin 70
Borcherdt Company	Aristocort10, 11	
Maltsupe 33	Stresscaps 56	Smith Kline & French
Boyle & Company	Symposium	Dexedrine47
Triva Combination 74	2 9 pros 15	Stelezine 75
	Leeming, Thos., & Co., Inc.	
Bristol Laboratories	Calmitol 27	Southwestern Progress Corp 68
Naldecon54, 55	Nephenalin 59	Storow's
D Dhamas anti-al Communi	•	Stacey's
Brown Pharmaceutical Company	Lilly and Company, Eli	Medical & Technical Books 14
Android	Ilosone 63	Standard Brands, Inc.
Lipo-Nicin Tablets 32	Institutional 50	Fleischmann's Unsalted
Burroughs Wellcome & Co.		Margarine 62
Empraz 77	Lorillard Company, P.	g
	Kent CigarettesInsert 68-69	Stuart Company, The
California hysicians' Service 8	I	Stuart Formula 61
California ato Porgonnol	Lorvic Corporation, The	·
California ate Personnel Board14, 52	Karidium 23	Twin Pines Neuropsychiatric
Board14, 52	Medical Protective Co., The 68	Hospital49
Cambridg strument Co., Inc.	Medical Flotective Co., The 00	Unicha Commons The
Cardiac agnostic	Mission Pharmacal Co.	Upjohn Company, The
Instru te nts	Fetamin	Medrol Medules72, 73 Neo-Medrol Veriderm16, 17
		Orinase12, 13
Camelback ospital 26	Obetrol Pharmaceuticals	Panalba 58
	Obetrol 76	Fanatoa 98
Ciba Pharaceutical Products		U.S. Vitamin &
Doriden 35	Organon, Inc.	Pharmaceutical Corp.
Classified Frontigoments 71.99	Hexadrol 40	Arlidin
Classified evertisements71, 82		
Compton Lundation Hospital 49	Parke, Davis & Company	Wallace Laboratories
*	DilantinInside Front Cover, 1	Deprol 80
Cook Cour Graduate School	DC T1 4 '	Miltown 31
of Medi th e 69	Pfizer Laboratories	
	Terramycin44, 45	Warren-Teed Products Co., The
Cutter La atories	Poythress, Wm. P., & Co., Inc.	Kaon 22
R-Gene Back Cover	Trocinate	Westmand Dhammanatical
D:	170cmate 40	Westwood Pharmaceuticals
Directory, cospitals,	Raleigh Hills Hospital 48	Fostex 81
Sanitarias, Rest Homes 49		Winthrop Laboratories
Doctors Bureau	Riker Laboratories	Creamalin
Durcau	Norflex20, 21	01 canada 60
East Bay Rehabilitation Center 8	., ==	Witter, Dean, & Co.
	Robins, A. H., Co., Inc.	Financial 3
Emko Company, The	Ambar 25	•
Emko28, 29	Phenaphen65	Woodside Acres 49
Annual Annual Caracteria.		



Merraling time in RESPIRATORY INFLAMMATION

ing the inflammatory reaction of respiratory War_{les}. Chymoral liquefies thickened bronchial s and affords easier expectoration of mucus Ross a series of 48 patients with bronchial asthma, -fforded relief with Chymoral therapy that was Crodood to excellent." In chronic obstructive _na, Chymoral has improved both vital ca-Nord the ability to expectorate without severe, ugh effort.2 And in sinusitis or rhinitis there is reduction of inflammation and edema of the sinal mucosa, along with improved airflow.2,3

controls inflammation curtails swelling, curbs pain

: Clin. Med. 7:2575, 1960. 2. Clinical Reports to the Medical Armour Pharmaceutical Company, 1960. 3. Billow, B. W.; A. M.; Stern, A.; Palm, A.; Robinson, M., and Paley, S.S.: riences with Oral Anti-inflammatory Enzyme for Intesti-Southwestern Med. 41:286, 1960.

CHYMORAL

Chymoral is an ORAL anti-inflammatory enzy (enteric coated). Each tablet provides enzymati equivalent to 50,000 Armour Units, supplied by concentrate which has specific trypsin and chy activity in a ratio of approximately six to one. Reduces inflammation of all types; reduces and edema except that of cardiac or renal origin; ha sorption of blood and lymph extravasates; helps t thick tenacious mucous secretions; improves circulation; promotes healing; reduces pain. TIONS: In respiratory conditions, inflammatory toses, gynecologic conditions, obstetrics, procedures, genitourinary disorders, dental and gery, in conjunction with generally accepted men therapy. Antibiotics may be administered simultations. None known. CONTRAI TIONS: None known. SIDE EFFECTS: Mild gas sets, rarely encountered. DOSAGE: Recommend dose is two tablets q.i.d.; one q.i.d. for main SUPPLIED: Bottles of 48 and 250 tablets. • For tion of this information consult the package inser

Issue: Rev. Nov. 1961

IR PHARMACEUTICAL COMPANY

KANKAKEE, ILLINOIS


Originators of Li

specific for anxiety & tension Librium

The singular specificity of Librium in controlling anxiety and tension has proven to be an advantage in a wide range of disorders characterized by anxiety of varying degrees. Notably effective in patients whose symptoms are primarily emotional, Librium is equally valuable when organic disease is aggravated or prolonged by accompanying anxiety. Coupled with its effectiveness is an outstanding record of safety. Librium has few, if any, of the unwanted side effects associated with tranquilizers and daytime sedatives—no extrapyramidal effects, no autonomic blocking, and no dulling of mental alertness. Consult literature and dosage information, available on request, before prescribing.

the successor to the tranquilizers





ARGININE MONOHYDROCHLORIDE

CUTTER

REDUCES HIGH BLOOD AMMONIA LEVELS... CHELPS OVERCOME THE ACCOMPANYING ALKALOSIS

R-gene can be used to prevent impending hepatic coma and has dramatically increased the survival rate in patients in deep coma where the mortality rate is normally extremely high. It provides arginine to detoxify circulating blood ammonia by accelerating its conversion to urea in the liver.1-3 In addition, R-gene supplies chloride which combines with excess sodium to overcome the alkalosis induced by

vomiting which usually accompanies ammonia intoxication.4

Because of this dual action, R-gene is of potential benefit in all cases where elevated ammonia levels exert a toxic effect as in hepatic coma, ammonia intoxication due to ingestion of ammonium salts, acute hepatic insufficiency, and following massive upper gastrointestinal hemorrhage.

The R-gene package consists of a half liter Saftiflask® containing 400 cc. of a 5 % solution of L-arginine monohydrochloride, a 100 cc. Ambot® of 50% dextrose,* and administration set. Each 100 cc. of R-gene contains: L-arginine monohydrochloride 5.0 Gm., nonpyrogenic distilled water q.s.

*Administration of dextrose in conjunction with arginine appears to aid the total ammonia utilization.

For maximum effectiveness, measures to reduce ammonia intake should be started with R-gene administration including reduction or withdrawal of protein intake, control of gastrointestinal bleeding, prompt removal of blood from the intestine, supression of ammonia CUTTER LABORATORIES production in the intestine with large oral doses (4-12 Gm. daily) of neomycin.3,5

1. Najarian, J. S., *et al.*: Am. J. Surg. *96*:172, 1958. 2. Wolfe, S. J., *et al.*: cited by Fast, B. B., Arch. Int. Med. *10*:467, 1958. 3. Editorial, New England J. M. *259*:1181, 1958. 4. Editorial, J.A.M.A. *169*:1076, 1959. 5. Britton, R. C.: Connecticut M. J. *22*:537, 1958.



Full information available from your Cutter man or write to Dept. 2-5L